

Nut Policy

Policy statement

Horringer Pre-School aims to practise a nut free policy although we recognise that this cannot be guaranteed. This policy serves to set out all measures to reduce the risk to those children and adults who may suffer an anaphylactic reaction if exposed to nuts to which they are sensitive. The Pre-school aims to protect children who have allergies to nuts yet also help them, as they grow up, to take responsibility as to what foods they can eat and to be aware of where they may be put at risk.

We inform new intake that we do not allow nuts or nut products within our setting for snack, lunch boxes or party cake or seasonal treats. Our Nut Free Zone logo is sited within Pre-School.

Definition

Anaphylaxis (also known as anaphylactic shock) is an allergic condition that can be severe and potentially fatal.

Anaphylaxis is your body's immune system reacting badly to a substance (an allergen), such as food, which it wrongly perceives as a threat. The whole body can be affected, usually within minutes of contact with an allergen, though sometimes the reaction can happen hours later.

Staff

The onus falls on all staff to read and follow this policy both in school and when out on trips and outings. Staff and volunteers must ensure they do not bring in or consume nut products within pre-school and ensure they follow good hand washing practice.

• Caution must be taken at certain times of year such as Easter and Christmas. If Staff distribute confectionary, care must be taken to ensure that no nuts are included in the



product. Particular products that are a cause for concern are: - Celebrations – Roses – Heroes - Quality Street

- All product packaging must be checked for warnings directed at nut allergy sufferers and if the following or similar are displayed, the product must not be used in school without supervision of staff and supervised hand washing:
- * Not suitable for nut allergy suffers
- * This product contains nuts
- * This product may contain traces of nuts.

We have four staff members trained to administer an Epi Pen.

Parents

Must notify staff of any known or suspected allergy to nuts and provide all needed information detailed on their child's individual Healthcare plan.

Parents must not bring in any food or treats (such as for birthdays) unless they have checked the ingredients carefully, likewise for snack and lunch box choices. Homemade snack or party food contributions must have a label detailing all ingredients present and the kitchen environment where the food was prepared must be nut free. If you're unsure about a selection please speak to a staff member before bringing in the food item into pre-school. Packaging must be checked for:

- * Not suitable for nut allergy sufferers
- * This product contains nuts
- *This product may contain traces of nuts.

Indicating this is unsuitable for school consumption. Lunch box items will be removed by staff and replaced with snack items if containing nuts or nut products.



Children

All children are regularly reminded about the good hygiene practice of washing hands before and after eating which helps to reduce the risk of secondary contamination. Likewise children are reminded and carefully supervised to minimise the act of food sharing with their friends.

Health Plans and Emergency Response

We have individual healthcare plans for children with allergies, administrating medicine forms and allergy lists are displayed in our kitchen. In addition quick reference emergency cards are located in our kitchen along with a First Aid box.

Symptoms

The symptoms of anaphylaxis usually start between 3 and 60 minutes after contact with the allergen. Less commonly, they can occur a few hours or even days after contact.

An anaphylactic reaction may lead to feeling unwell or dizzy or may cause fainting due to a sudden drop in blood pressure. Narrowing of the airways can also occur at the same time, with or without the drop in blood pressure. This can cause breathing difficulties and wheezing.

Other symptoms:

- * swollen eyes, lips, genitals, hands, feet and other areas (this is called angioedema),
- * itching,
- *a strange metallic taste in the mouth,
- * sore, red, itchy eyes,
- *changes in heart rate
- * a sudden feeling of extreme anxiety or apprehension
- * itchy skin or nettle-rash (hives)



- * unconsciousness due to very low blood pressure
- * abdominal cramps, vomiting or diarrhoea, or nausea and fever.

Anaphylaxis varies in severity. Sometimes it causes only mild itchiness and swelling, but in some people it can cause sudden death. Anaphylaxis can lead to death if breathing becomes severely obstructed or if blood pressure becomes extremely low (known as shock). If symptoms start soon after contact with the allergen and rapidly get worse, this indicates that the reaction is more severe.